WO 2004/000906 PCT/EP2003/006265

Claims

1. Plastic articles with low emission obtainable by polymerization, condensation, and/or cross-linking reaction including the use of metal catalysts wherein said metal catalyst has a low emissivity and is an organotin compound of the general formula

R₂SnX₂

wherein R is a C₁-C₈-hydrocarbyl, X is a carboxylate group with 14-20 carbon atoms having at least one olefinic double bond with the proviso that

- a) said plastic article is not made of polyvinyl chloride including dimethyltin dioleate or dibutyltin dioleate as heat stabilizer,
- b) said organotin compound is not dibutyltin dioleate and said plastic article is not a polyurethane foam,
- said organotin compound is not dibutyltin diricinoleate and said plastic article
 is not a polyurethane,
- d) said organotin compound is not dibutyltin dioleate and said plastic article is not polyester or cured silicone.
- 2. Plastic article according to claim 1, wherein in said organotin compound R is an aliphatic, saturated alkyl group.
- 3. Plastic article according to claim 2, wherein in said organotin compound at least one alkyl group is methyl, butyl, or octyl.

WO 2004/000906 PCT/EP2003/006265

4. Plastic article according to anyone of claims 1 to 3, wherein in said organotin compound X is a carboxylate group derived from a carboxylic acid of the type

R'-COOH

wherein R' is a C₁₃-C₁₉-hydrocarbyl group having one or more olefinic double bonds.

- 5. Plastic article according to claim 4, wherein said olefinic double bonds are isolated double bonds.
- 6. Plastic article according to claim 4 or 5, wherein R' is an aliphatic, substituted or unsubstituted alkenyl group.
- 7. Plastic article according to anyone of the preceding claims, wherein in said organotin compound said hydrocarbyl and/or carboxylate group is a linear group.
- 8. Plastic article according to anyone of the preceding claims, wherein in said organotin compound the carboxylate group is selected from:

oleate, ricinoleate, linoleate and linoleate.

- 9. Plastic article according to anyone of the preceding claims, wherein said organotin compound is liquid at room temperature (20-25°C).
- 10. Plastic article according to anyone of the preceding claims, wherein said plastic article is made of polyurethane or polysilicone.
- 11. Plastic article according to anyone of the preceding claims, wherein said plastic article is a foamed article.

WO 2004/000906 PCT/EP2003/006265

12. Plastic article of claim 11, wherein the polyurethane foam is derived from aliphatic isocyanate.

- 13. Use of an organotin compound according to anyone of claims 1 to 10 in the manufacture of plastic articles with low emissivity of said organotin compound.
- 14. The use of claim 13, wherein said plastic article is a foamed article.
- 15. The use of claim 13 or 14, wherein said plastic article is made of polyurethane or polysilicone.
- 16. The use of any of claims 13 to 15 wherein said organotin compound is dioctyltin dicarboxylate.
- 17. The use of claim 16 wherein the carboxylate group is selected from:

oleate, ricinoleate, linoleate and linoleate.

18. The use of claim 17 wherein the organotin compound is dioctyl dioleate.